



製品仕様

材質	本体	鉄
	ハンドルカバー	ポリウレタンゴム

環境性能

使用環境	使用温度範囲	-10 ~ +60 []
	使用湿度範囲	25 ~ 85 [%] (結露なきこと)

寸法

 詳細は別紙寸法図を参照(寸法はインチとなり、[]内はメートル表示です)

公称寸法	W 46.0 ~ 152.0 × L 203.0 × D 22.0 [mm] (公差 ± [mm])
------	--

重量

公称重量	300.0 [g]
------	-----------

カラー

カラー	本体	BL (ブラック)
	ハンドルカバー	アクアブルー

含有化学物質調査

調査項目	RoHS 対応済み	現用品
------	-----------	-----



製品仕様書

05138C

カテゴリ6 & 5E共用 圧着工具
Part Numbers: MPT5-8


©Panduit Corporation Japan Branch

改版履歴

版数	改版日	変更内容	担当
01	2005.09.30	初版制定	山之内
02	2007.07.20	含有化学物質調査を追加	山之内
03	2008.07.07	寸法と重量の記述を一部訂正	山之内

版	制定	作成	承認
03	2008年7月7日	山之内	新田

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



PANDUIT PART NO. WEIGHT:

MPT5-8 Tool .67 lbs./each
(300 g./each)

NOTES:

- REQUIRED FOR *PAN-PLUG™* AND *TX6™* MODULAR PLUG TERMINATION.
- CONTROLLED CYCLE TOOL TO INSURE PROPER PLUG TERMINATION.
- REFERENCE OPERATION INSTRUCTIONS FOR PROPER USE OF TOOL.

ALL DIMENSIONS ARE FOR REFERENCE ONLY.

F:\wrkgrp\rvusers\ENGRDOCS-NEW\CUST DWG\CG24520B01_01 MPT5-8 CD.doc

PANDUIT CORP. TINLEY PARK, ILLINOIS

**MPT5-8
CUSTOMER DRAWING**

UNLESS OTHERWISE SPECIFIED,
DIMENSIONAL TOLERANCES ARE:
(.x) ± ---- (.xxx) ± ----
(.xx) ± ---- ANGLES ± ----

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES, THIRD ANGLE PROJECTION.

DRAWN BY:
BLR

DATE:
2-27-02

CHK'D:
MBR

MATL:

SCALE

NONE

DRAWING NO.

CG24520B01

DWG
B
SIZE

REV	DATE	BY	CHK'D	DESCRIPTION	ECN	- R	CUST	SUP
01	6-01-06	BLR	MBR	UPDATE NOTES, LINE ART; REMOVE MPD5-8	4206	---	LAH	
00	2-27-02	BLR	MSH	RELEASED	4002	---	LAH	